



NEW PATIENT INFORMATION SHEET

HOW DID YOU HEAR ABOUT US? [ ] PHYSICIAN [ ] WEBSITE [ ] FACEBOOK
[ ] SEMINAR [ ] NEWSPAPER AD [ ] FRIEND [ ] RETURNING PATIENT [ ] OTHER

Name (First) (Middle) (Last) (Suffix)

Mailing Address

(City) (State) (ZIP)

Phone: Home Cell Work

Primary Phone Email Address

Date of Birth Age Marital Status: [ ] Married [ ] Divorced [ ] Single [ ] Other [ ] Unknown

[ ] Widowed [ ] Separated Gender: [ ] Male [ ] Female Social Security #

Driver License #

Employment Status: [ ] Full Time [ ] Part Time [ ] Not Employed [ ] Self-Employed [ ] Retired [ ] Active Military
[ ] Unknown [ ] Full Time Student

In case of emergency, please notify Phone

Attorney involvement? [ ] Yes [ ] No Attorney name Phone

Name of Employer, Parent or Guarantor

Street Address of Employer or Parent

City, State and ZIP of Employer or Parent

Name of Spouse Spouse Date of Birth

Spouse's Employer Phone

Have you received any therapy this year? [ ] Yes [ ] No

Have you been seen for nursing or physical therapy services in your home by a Home Health Agency prior to
requesting services through our organization? [ ] Yes [ ] No If yes, name of home health agency

Primary Care Provider/Family Doctor Phone

\*\*\*\*\*

The two documents listed below are available for review at the Lake Centre for Rehab front office.

- 1. Authorization for Treatment, Assignment of Benefits, Payment Responsibility and Disclosure of ALF Resident
Information.
2. Acknowledgement of Receipt of Privacy Notice in combination with Voluntary Consent.

The listed individuals may have access to my PHI (Protected Health Information):

Patient/Representative Signature Date

Witness Date

Guardian Signature if patient is a minor Date

Relationship to Patient



\_\_\_\_\_  
Patient Name

\_\_\_\_\_  
Facility

**SCREENING FOR PREVIOUS PT/OT/ST SERVICES UNDER  
MEDICARE PART B CAPS**

**Effective January 1, 2019, therapy providers are required to assure that Medicare is not billed more than \$2,040 for physical and speech therapy services combined, and \$2,040 for occupational therapy services. Each provider is required to track the entire therapy episode regardless of setting.**

1. Have you previously received Part B therapy services in a skilled nursing facility?  
 Yes  No If yes, by whom and how much? \_\_\_\_\_  
\_\_\_\_\_
2. Have you previously received Part B therapy services in a physician's office?  Yes  No  
If yes, by whom and how much? \_\_\_\_\_  
\_\_\_\_\_
3. Have you previously received Part B therapy services in an outpatient clinic?  Yes  No  
If yes, by whom and how much? \_\_\_\_\_  
\_\_\_\_\_
4. Have you previously received Part B therapy services in your home?  Yes  No  
If yes, by whom and how much? \_\_\_\_\_  
\_\_\_\_\_

Signing below indicates that the answers above are true and correct, and that the information is complete to the best of the signor's knowledge.

\_\_\_\_\_  
Patient Signature

\_\_\_\_\_  
Witness Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date



MEDICARE SECONDARY PAYER QUESTIONNAIRE

Patient \_\_\_\_\_

Medicare # \_\_\_\_\_ Admit/Eval Date \_\_\_\_\_

Facility \_\_\_\_\_ Provider # \_\_\_\_\_

1. Is the patient covered by Veterans Administration or Black Lung?  Yes  No
2. Was illness due to an injury?  Yes  No If yes,
  - a. Date of accident \_\_\_\_\_
  - b. What type of accident cause your illness/injury? \_\_\_\_\_
  - c. Is the patient filing or intending to file a liability suite? \_\_\_\_\_  
If yes, please give name and address of attorney \_\_\_\_\_
3. Is the patient employed (Medicare disabled beneficiaries under the age of 65 or Medicare over the age of 65) and covered by a group health plan?  Yes  No
  - a. Date of retirement \_\_\_\_\_
  - b. Is the patient married? \_\_\_\_\_
  - c. Is the spouse currently employed? \_\_\_\_\_
  - d. Does the spouse have group coverage? \_\_\_\_\_
  - e. Does the patient have coverage through a spouse, parent or guardian's employer group health plan? \_\_\_\_\_
4. Is the patient entitled to benefits solely on the basis of end stage renal disease?  Yes  No Has the patient been undergoing kidney dialysis for more than 12 months?  Yes  No

*If you answered yes to any of the above questions, you will need to fill out the information requested below.*

Insurance company \_\_\_\_\_

Address \_\_\_\_\_

Policy/certificate number \_\_\_\_\_

Group name \_\_\_\_\_

Group number \_\_\_\_\_

PATIENT SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

RESPONSIBLE PARTY SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

Relationship to patient \_\_\_\_\_

Signature of person completing this form _____ (If other than the patient)	Date _____
---	------------



Patient Name \_\_\_\_\_ Date \_\_\_\_\_

## Male Pelvic Floor Questionnaire

Conditions related to the pelvic floor muscles can affect bladder, bowel, sexual, and physical function. Please answer the questions below so that we can better understand your problem. Please check all that apply.

### History of Current Condition

Reason for today's visit \_\_\_\_\_

How long have you had this problem? \_\_\_\_\_

Since the problem began, has the problem become:  Worse  Better  Unchanged

Is it related to an injury or accident?  No  Yes Explain how and when \_\_\_\_\_

What are your goals for treatment? \_\_\_\_\_

Previous **Treatments** for your condition:

<input type="checkbox"/> Prostatectomy	<input type="checkbox"/> Kegel exercises	<input type="checkbox"/> Hemorrhoid repair	<input type="checkbox"/> Massage therapy
<input type="checkbox"/> Radiation	<input type="checkbox"/> Biofeedback	<input type="checkbox"/> Ostomy pouch	<input type="checkbox"/> Chiropractor
<input type="checkbox"/> Seed implantation	<input type="checkbox"/> Pelvic floor rehab	<input type="checkbox"/> Hemorrhoid cream	<input type="checkbox"/> Acupuncture
<input type="checkbox"/> Cryotherapy	<input type="checkbox"/> Diet/fluid changes	<input type="checkbox"/> High fiber diet	<input type="checkbox"/> Over the counter pain meds
<input type="checkbox"/> Proton therapy	<input type="checkbox"/> Bladder control meds	<input type="checkbox"/> Probiotics	<input type="checkbox"/> Prescription pain meds
<input type="checkbox"/> Lupron/hormones	<input type="checkbox"/> Collagen injections	<input type="checkbox"/> Stool softeners	<input type="checkbox"/> Bladder instillations
<input type="checkbox"/> Greenlight ablation	<input type="checkbox"/> Self-catheterization	<input type="checkbox"/> Constipation meds	<input type="checkbox"/> Urethral/bladder dilation
<input type="checkbox"/> TURP	<input type="checkbox"/> InterStim	<input type="checkbox"/> Anti-diarrheal meds	<input type="checkbox"/> Bladder instillations
<input type="checkbox"/> BCG treatments	<input type="checkbox"/> Artificial sphincter	<input type="checkbox"/> Herbal supplements	<input type="checkbox"/> Nerve injections/blocks
<input type="checkbox"/> Condom catheter	<input type="checkbox"/> Penile clamp	<input type="checkbox"/> Enemas	Other: _____

Have you received therapy for the current or other problem in the past year?  Yes  No If yes, indicate type (physical therapy, speech therapy, etc.) and date \_\_\_\_\_

Previous **Tests** for your condition:

<input type="checkbox"/> Urodynamics study	<input type="checkbox"/> Video defacography	<input type="checkbox"/> X-ray	<input type="checkbox"/> Digital rectal exam
<input type="checkbox"/> Bladder scan (PVR)	<input type="checkbox"/> Colonoscopy	<input type="checkbox"/> CT scan	<input type="checkbox"/> Prostate biopsy
<input type="checkbox"/> Cystoscopy	<input type="checkbox"/> Anal manometry	<input type="checkbox"/> MRI	<input type="checkbox"/> Exploratory surgery

### Medical Conditions and Health Status

Please rate your overall health:  Excellent  Good  Fair  Poor

With whom do you live?  Alone  Spouse/significant other  Other relative(s)  Roommate(s)

Where do you live?  Private home or apartment  Independent living  Assisted living  Other \_\_\_\_\_

<b>Prostate</b>	<input type="checkbox"/> Enlarged prostate (BPH) <input type="checkbox"/> Prostate infections <input type="checkbox"/> Chronic prostatitis <input type="checkbox"/> Prostate pain			
	<input type="checkbox"/> Erectile dysfunction <input type="checkbox"/> Erectile/ejaculation pain			
	<input type="checkbox"/> Prostate cancer: If so, when were you diagnosed? _____ What was your Gleason score? _____			
	<input type="checkbox"/> Last PSA reading: _____			
<b>Sexual Function:</b> <input type="checkbox"/> I'm sexually active				
<input type="checkbox"/> I'm not sexually active due to: <input type="checkbox"/> My pelvic pain symptoms <input type="checkbox"/> My other medical problems				
<input type="checkbox"/> For non-health related reasons <input type="checkbox"/> My partner's medical problems				
<b>Bladder</b>	<input type="checkbox"/> Urinary incontinence	<input type="checkbox"/> Small bladder capacity	<input type="checkbox"/> Bladder cancer	<input type="checkbox"/> Bladder infections (UTI's)
	<input type="checkbox"/> Overactive bladder	<input type="checkbox"/> Large bladder capacity	<input type="checkbox"/> Interstitial cystitis	<input type="checkbox"/> Painful bladder syndrome
	<input type="checkbox"/> Urinary retention	<input type="checkbox"/> Kidney stones	<input type="checkbox"/> Other _____	
<b>Bowels</b>	<input type="checkbox"/> Fecal incontinence	<input type="checkbox"/> Ulcerative colitis	<input type="checkbox"/> Hemorrhoids	<input type="checkbox"/> Colon cancer
	<input type="checkbox"/> Constipation	<input type="checkbox"/> Spastic colon	<input type="checkbox"/> Lactose intolerance	<input type="checkbox"/> Anal cancer
	<input type="checkbox"/> Diarrhea	<input type="checkbox"/> Diverticulitis	<input type="checkbox"/> Gluten intolerance	<input type="checkbox"/> Colostomy/ileostomy
	<input type="checkbox"/> Irritable bowel syndrome	<input type="checkbox"/> Diverticulosis	<input type="checkbox"/> Other _____	

Patient signature \_\_\_\_\_



Patient Name \_\_\_\_\_ Date \_\_\_\_\_

<b>Other Medical</b>	<input type="checkbox"/> High blood pressure	<input type="checkbox"/> Asthma	<input type="checkbox"/> Diabetes	<input type="checkbox"/> Sciatica
	<input type="checkbox"/> Low blood pressure	<input type="checkbox"/> Cigarette smoker	<input type="checkbox"/> Acid reflux	<input type="checkbox"/> Stenosis
	<input type="checkbox"/> High cholesterol	<input type="checkbox"/> Former smoker	<input type="checkbox"/> Depression	<input type="checkbox"/> Arthritis
	<input type="checkbox"/> Heart disease	<input type="checkbox"/> Migraine headaches	<input type="checkbox"/> Anxiety disorder	Area _____
	<input type="checkbox"/> Heart attack	<input type="checkbox"/> Stroke	<input type="checkbox"/> Glaucoma	<input type="checkbox"/> Herniated disc
	<input type="checkbox"/> Angina	<input type="checkbox"/> TIA (mini strokes)	<input type="checkbox"/> Cataracts	Level _____
	<input type="checkbox"/> Congestive heart failure	<input type="checkbox"/> Parkinson's Disease	<input type="checkbox"/> Glasses	<input type="checkbox"/> Degenerative disc
	<input type="checkbox"/> Cardiac arrhythmia	<input type="checkbox"/> Multiple Sclerosis	<input type="checkbox"/> Hearing loss	Area _____
	<input type="checkbox"/> Pacemaker/defibrillator	<input type="checkbox"/> Seizures	<input type="checkbox"/> Fibromyalgia	<input type="checkbox"/> Bone fracture
	<input type="checkbox"/> Vascular disease	<input type="checkbox"/> Hypothyroidism	<input type="checkbox"/> Osteoporosis	Area _____
<input type="checkbox"/> Swollen legs/edema	<input type="checkbox"/> Kidney disease	<input type="checkbox"/> Osteopenia	<input type="checkbox"/> Cancer	
<input type="checkbox"/> Emphysema	<input type="checkbox"/> Kidney stones	<input type="checkbox"/> Low back pain	Area _____	
<input type="checkbox"/> Bronchitis	<input type="checkbox"/> Sleep apnea	<input type="checkbox"/> Tailbone trauma	<input type="checkbox"/> Other _____	

Surgeries	Age or Year	Medications	For what condition?

**Allergies**

None     Latex sensitivity     Seasonal (pollen/hay fever)     Bees     Other \_\_\_\_\_

Food \_\_\_\_\_     Medications \_\_\_\_\_

**Review of Systems - Please check if you have you recently had any of these symptoms.**

<input type="checkbox"/> Fever/chills	<input type="checkbox"/> Eye pain/redness	<input type="checkbox"/> Stomach pain	<input type="checkbox"/> Tremors
<input type="checkbox"/> Weight change	<input type="checkbox"/> Chest pain	<input type="checkbox"/> Bloody stools	<input type="checkbox"/> Speech changes
<input type="checkbox"/> Fatigue/night sweats	<input type="checkbox"/> Pounding heart	<input type="checkbox"/> Tarry stools	<input type="checkbox"/> Seizures
<input type="checkbox"/> Skin rash/itch	<input type="checkbox"/> Shortness of breath	<input type="checkbox"/> Blood in urine	<input type="checkbox"/> Loss of consciousness
<input type="checkbox"/> Headaches	<input type="checkbox"/> Calf pain	<input type="checkbox"/> Muscle pain	<input type="checkbox"/> Vertigo/spinning
<input type="checkbox"/> Hearing loss	<input type="checkbox"/> Leg swelling	<input type="checkbox"/> Neck/back pain	<input type="checkbox"/> Unsteadiness
<input type="checkbox"/> Ringing in ears	<input type="checkbox"/> Cough	<input type="checkbox"/> Joint pain	<input type="checkbox"/> Lightheaded
<input type="checkbox"/> Ear pain/discharge	<input type="checkbox"/> Coughing up blood	<input type="checkbox"/> Falls	<input type="checkbox"/> Depression
<input type="checkbox"/> Nose bleeds	<input type="checkbox"/> Phlegm production	<input type="checkbox"/> Arm/leg weakness	<input type="checkbox"/> Nervous/anxious
<input type="checkbox"/> Sore throat	<input type="checkbox"/> Congestion	<input type="checkbox"/> Lack of coordination	<input type="checkbox"/> Suicidal thoughts
<input type="checkbox"/> Blurred vision	<input type="checkbox"/> Wheezing	<input type="checkbox"/> Difficulty walking	<input type="checkbox"/> Hallucinations
<input type="checkbox"/> Double vision	<input type="checkbox"/> Heartburn	<input type="checkbox"/> Difficulty standing up	<input type="checkbox"/> Substance abuse
<input type="checkbox"/> Light sensitive	<input type="checkbox"/> Nausea/vomiting	<input type="checkbox"/> Tingling/numbness	<input type="checkbox"/> Memory loss

Is your doctor aware of these recent symptoms?     Yes     No

Please answer the questions below. If your symptom severity fluctuates, characterize your symptoms at their worst.

**Bladder Health**    Do you have a urologist?     Yes     No    If yes, who? \_\_\_\_\_

- During the **daytime**, how often do urinate?     Every 30-60 minutes     1-2 hours     2-3 hours     3-4 hours  
 More than 4 hours
- During the **nighttime** (after you've fallen asleep), how often do you get up to urinate?     0-1 times per night     2-3 times  
 3-4 times     More than 4 times
- How many **8 ounce servings** (cups) do you drink of the following?

Liquid	Per Day	Per Week	On Occasion	Never	Liquid	Per Day	Per Week	On Occasion	Never
Coffee ( <input type="checkbox"/> Reg. <input type="checkbox"/> Decaf)					Water				
Tea ( <input type="checkbox"/> Reg. <input type="checkbox"/> Decaf)					Milk				
Soda ( <input type="checkbox"/> Reg. <input type="checkbox"/> Decaf)					Juice				
Beer/Wine/Liquor					Other _____				

Patient signature \_\_\_\_\_

4. Do you **every lose urine (even a few drops)** with any of the situations below?

	Never	On Occasion	Sometimes	Usually	Always
Cough					
Sneeze					
Laugh					
Getting out of a chair					
Getting out of a car					
Getting out of bed at night					
Getting out of bed in the morning					
Picking objects off the floor					
Putting on shoes or clothes					
Lifting light items					
Lifting heavy items					
Cooking or doing dishes					
Doing housework/chores					
Doing yard work					
During sexual activity					
Walking to the toilet at home					
Shopping or running errands					
Standing or walking for a long time					
Walking to toilet in public					
Recreational activities					
Exercise activities					
Other _____					

5. Do you ever have **strong or difficult-to-control urges** to urinate with the situations listed below?

	Never	On occasion	Sometimes	Usually	Always
Around running water					
Feeling cold					
Feeling anxious or nervous					
Unlocking the door					
If I've waited too long					
Rushing off to the toilet					

6. How long can you **usually delay an urge** to urinate?  I rarely feel urges to void  I go as soon as I feel an urge  
 1-2 minutes  Several minutes  10-15 minutes  15 minutes or more
7. What **type of protective padding** do you use for bladder control?  None needed  Change underwear  
 Folded tissue paper  Liners  Thin pads  Thick pads  Diapers  Other \_\_\_\_\_
8. How often do you **change your bladder protection**?  None  Only when I leave the house  Only at night  
 Only during a cold  Only during exercise  1-2 per day  3-4 per day  4+ per day
9. How **saturated** does your protection get?  No leakage  "Near misses"  A few drops  Damp  Wet  Soaked  
 Overflows onto clothes
10. How often do you go to the bathroom **before you feel urges** to void, "just in case?"  Never  On occasion  Sometimes  
 Usually  Always
11. How often do you **avoid drinking** fluid in order to help with bladder control?  Never  On occasion  Sometimes  
 Usually  Always

Patient signature \_\_\_\_\_



Patient Name \_\_\_\_\_ Date \_\_\_\_\_

12. Do you ever notice any of the following **bladder symptoms**? Please check how often.

	Never	On occasion	Sometimes	Usually	Always
Weak stream					
Incomplete bladder emptying					
Trouble starting urine stream					
Strain to urinate					
Dribble after urinating					
Have to rock pelvis to empty bladder					
Have to push over the bladder to empty					
Splint or support bladder to urinate					
Pain as my bladder <i>fills</i>					
Location:	<input type="checkbox"/> Bladder <input type="checkbox"/> Urethra <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				
Pain as my bladder <i>empties</i>					
Location:	<input type="checkbox"/> Bladder <input type="checkbox"/> Urethra <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				

**Bowel Health** Do you have a gastroenterologist?  Yes  No If yes, who? \_\_\_\_\_

- How often** do you have a bowel movement?  Less than 3 times a week  Every 2-3 days  Every 1-2 days  Daily  
 2-3 times per day  More than 3 times per day  I won't go for several days, and then go multiple times in one day
- What is the **consistency** of your bowel movements?  Watery/formless  Loose and thin  Soft and formed  
 Hard and rocky  Small and pellet-like  It varies \_\_\_\_\_
- Do you ever **lose feces** with any of the situations below? Please check how often.

	Never	On Occasion	Sometimes	Usually	Always
On the way to the toilet					
If I exert myself					
When I pass gas					
I have fecal soiling without an urge to have a BM					

- What **type of protective padding** do you use for bowel control?  None needed  Change underwear  
 Folded tissue paper  Liners  Thin pads  Thick pads  Diapers  Other \_\_\_\_\_
- How often do you **change your bowel protection**?  None  Only when I leave the house  Only when I have diarrhea/ loose stools  1-2 per day  3-4 per day  4+ per day

Patient signature \_\_\_\_\_

6. Do you every notice any of the following **bowel symptoms**? Please check how often.

	Never	On occasion	Sometimes	Usually	Always
Excessive straining during a BM					
Support/splint rectum during BM					
Incomplete BM's					
Rush to the toilet with BM urge					
Trouble controlling gas in public					
Excessive wiping needed after BM					
Fecal soiling in underwear after BM					
Pain as my bowels <i>fill</i>					
Location:	<input type="checkbox"/> Rectum <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				
Pain as my bowels <i>empty</i>					
Location:	<input type="checkbox"/> Rectum <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				

**Pelvic Pain Symptoms:** None

My pelvic symptoms **affect my ability** to, OR **I feel worse when I try** to: Check all that apply.

<input type="checkbox"/> Sleep	<input type="checkbox"/> Bend forward	<input type="checkbox"/> Climb stairs	<input type="checkbox"/> Perform work duties
<input type="checkbox"/> Bathe	<input type="checkbox"/> Squat down	<input type="checkbox"/> Sitting tolerance	<input type="checkbox"/> Recreational activities
<input type="checkbox"/> Get dressed	<input type="checkbox"/> Lift items	<input type="checkbox"/> Standing tolerance	<input type="checkbox"/> Social events
<input type="checkbox"/> Wear tight clothing	<input type="checkbox"/> Reach overhead	<input type="checkbox"/> Walking distance	<input type="checkbox"/> Travel
<input type="checkbox"/> Cook meals	<input type="checkbox"/> Get out of bed	<input type="checkbox"/> Drive a car	<input type="checkbox"/> Exercise for health
<input type="checkbox"/> Do housework	<input type="checkbox"/> Stand up from a chair	<input type="checkbox"/> Run errands/shop	<input type="checkbox"/> Do Kegel exercises
<input type="checkbox"/> Do yard work	<input type="checkbox"/> Get out of a car		

**Pain Location:** Check all that apply.

- |                                       |                                     |                                   |  |  |
|---------------------------------------|-------------------------------------|-----------------------------------|--|--|
| <input type="checkbox"/> Abdomen      | <input type="checkbox"/> Scrotum    | <input type="checkbox"/> Groin    | <input type="checkbox"/> Over tight surgical scars | <input type="checkbox"/> Front of hips |
| <input type="checkbox"/> Penis        | <input type="checkbox"/> Buttocks   | <input type="checkbox"/> Bladder  | <input type="checkbox"/> Sides of hips             | <input type="checkbox"/> Rectum        |
| <input type="checkbox"/> Low back     | <input type="checkbox"/> Side/waist | <input type="checkbox"/> Tailbone | <input type="checkbox"/> Back of hips              |  |
| <input type="checkbox"/> Inner thighs | <input type="checkbox"/> Urethra    |                                   |  |  |

Circle pain severity: No Pain 0 \_\_\_ 1 \_\_\_ 2 \_\_\_ 3 \_\_\_ 4 \_\_\_ 5 \_\_\_ 6 \_\_\_ 7 \_\_\_ 9 \_\_\_ 10 Worst Pain

**Pain with sexual activity:**

- None  I have to *interrupt* intercourse due to pain.  
 I limit the *frequency* of sexual activity because of my pain.  I *avoid it* altogether due to my pain. Last intercourse attempt: \_\_\_\_\_

The pain occurs during:  During erection  During ejaculation

For how long?  Only during sexual activity  For a few hours afterwards  For a day or more afterwards

Location:  Penis/scrotum  Deep in my pelvis  In my back

Circle pain severity: No pain 0 \_\_\_ 1 \_\_\_ 2 \_\_\_ 3 \_\_\_ 4 \_\_\_ 5 \_\_\_ 6 \_\_\_ 7 \_\_\_ 9 \_\_\_ 10 Worst Pain

Patient signature \_\_\_\_\_





## INSTRUCTIONS

**Before your first visit, download the patient forms from our website  
[www.golcr.com/forms](http://www.golcr.com/forms)**

**On your first visit, please remember to bring the following:**

1. Physician or NPP (Non-Physician Provider) order for therapy.
2. ***Bring the patient forms you filled out***
3. Insurance cards (primary and secondary).
4. Photo ID.
5. Current list of medicines and allergies.
6. Recent reports that you might have, including x-rays, MRI's, surgeries, etc.
7. Loose-fitting, comfortable clothing.
8. Supportive closed-toe shoes.
9. Bring in any adaptive devices currently used, such as braces, canes, walkers, etc.
10. Copy of home health discharge with name and phone number of home health agency if applicable.
11. Notify us of implants and pacemakers (defibrillators).

**Due to allergies of staff members and  
patients, please refrain from  
strong fragrances.**